

RED HAT ENTERPRISE LINUX 5, 6, AND 7

Common administrative commands

SYSTEM BASICS

| Task | RHEL |
|-------------------------------|--|
| View subscription information | /etc/sysconfig/rhn/systemid subscription-manager identity subscription-manager identity |
| Configure subscription | rhn_register subscription-manager rhn_register rhnrreg_ks subscription-manager rhn_register |
| View system profile | sosreport dmidecode hwbrowser sosreport dmidecode lstopo lscpu |
| View RHEL version information | /etc/redhat-release |

BASIC CONFIGURATION

| Task | RHEL |
|--------------------------------|---|
| Graphical configuration tools | system-config-* gnome-control-center |
| Configure network | system-config-network nmcli nmtui nm-connection-editor |
| Configure system language | system-config-language localectl |
| Configure time and date | system-config-date date timedatectl date |
| Synchronize time and date | ntpdate /etc/ntp.conf timedatectl /etc/chrony.conf ntpdate |
| Configure keyboard | system-config-keyboard localectl |
| Text-based configuration tools | system-config-*-tui |
| Configure printer | system-config-printer |
| Configure SSH | /etc/ssh/ssh_config /etc/ssh/sshd_config ~/.ssh/config ssh-keygen |

- 1 Be aware of potential issues when using subscription-manager on Red Hat Enterprise Linux 5: <https://access.redhat.com/solutions/129003>.
- 2 Subscription-manager is used for Satellite 6, Satellite 5.6 with SAM and newer, and Red Hat's CDN.
- 3 RHN tools are deprecated on Red Hat Enterprise Linux 7. rhn_register should be used for Satellite server 5.6 and newer only. For details, see: [Satellite 5.6 unable to register RHEL 7 client system due to rhn-setup package not included in Minimal installation \(https://access.redhat.com/solutions/737373\)](https://access.redhat.com/solutions/737373)

RESOURCE MANAGEMENT

| Task | RHEL |
|-----------------------------|--|
| View system usage | top ps sar iostat netstat vmstat mpstat numastat top ps sar iostat netstat ss vmstat mpstat numastat tuna top ps sar iostat ss vmstat mpstat numastat tuna |
| View disk usage | df df iostat |
| Trace system calls | strace |
| Trace library calls | ltrace |
| Change process priority | nice renice |
| Change process run location | taskset |
| Kill a process | kill pkill killall |

SOFTWARE MANAGEMENT

| Task | RHEL |
|-------------------------------|---|
| Install software | yum install yum groupinstall |
| View software info | yum info yum groupinfo |
| Update software | yum update |
| Upgrade software | yum upgrade |
| Configure software repository | subscription-manager repos /etc/yum.repos.d/*.repo |
| Find file in package | rpm -qf filename yum provides filename-glob |
| View software version | rpm -q package |
| View installed software | rpm -qa yum list installed |

USER MANAGEMENT

| Task | RHEL |
|----------------------------------|--------------------------------------|
| Graphical user management | system-config-users |
| Create user account | useradd |
| Delete user account | userdel |
| View/change user account details | usermod /etc/passwd vipw id |
| Create user group | groupadd |
| Delete user group | groupdel |
| Change group details | groupmod /etc/group |
| Change user password | passwd |
| Change user permissions | usermod visudo |
| Change group permissions | groupmod visudo |
| Change password policy | chage |
| View user sessions | w |

NETWORKING

| Task | RHEL |
|-----------------------------|---|
| Configure firewall | iptables and ip6tables /etc/sysconfig/iptables |
| Configure name resolution | /etc/hosts /etc/resolv.conf |
| Configure hostname | /etc/sysconfig/network hostnamectl /etc/hostname nmcli con mod |
| View network interface info | ip addr ifconfig brctl ip addr nmcli dev show teamdctl brctl bridge |
| Configure network interface | /etc/sysconfig/network-scripts/ifcfg-* /etc/sysconfig/network-scripts/ifcfg-* nmcli con [add mod edit] nmcli nm-connection-editor |
| View ports/sockets | ss lsof netstat ss lsof |
| Configure routes | ip route add system-config-network /etc/sysconfig/route-iface ip route add nmcli nmtui nm-connection-editor /etc/sysconfig/route-iface |
| View routes | ip route |
| Configure system security | /etc/selinux/config chcon restorecon semanage setsebool system-config-selinux |
| Report on system security | sealert |
| LDAP, SSSD, Kerberos | authconfig authconfig-tui authconfig-gtk |
| Network users | getent |

Jobs and Services

| Task | RHEL |
|---|--|
| Configure logging | /etc/syslog.conf /etc/rsyslog.conf /etc/rsyslog.conf /etc/rsyslog.d/*.conf /var/log/journal systemd-journald.service |
| List all services | chkconfig --list ls /etc/init.d/ systemctl -at service ls /etc/systemd/system/*.service ls /usr/lib/systemd/system/*.service |
| List running services | service --status-all systemctl -t service --state=active |
| Start/stop service | service name start service name stop systemctl start name.service systemctl stop name.service |
| Enable/disable service | chkconfig name on chkconfig name off systemctl enable name.service systemctl disable name.service |
| View service status | service name status systemctl status name.service |
| Check if service is enabled | chkconfig name --list systemctl is-enabled name |
| Create new service file or modify configuration | chkconfig --add systemctl daemon-reload /etc/systemd/system/*.service |
| View run level/target | runlevel who -r systemctl get-default who -r |
| Change run level/target | /etc/inittab init run_level systemctl isolate name.target systemctl set-default |
| View logs | /var/log /var/log/journalctl |
| Configure system audit | add audit=1 to kernel cmdline auditctl /etc/audit/auditd.conf /etc/audit/audit.rules authconfig /etc/pam.d/system-auth pam_tty_audit kernel module |
| View audit output | aureport /var/log/faillog |
| Schedule/batch tasks | cron at batch |
| Find file by name | locate |
| Find file by characteristic | find |
| Create archive | tar cpio zip |

File Systems, Volumes, and Disks

| Task | RHEL |
|--|---|
| Default file system | ext3 ext4 xfs |
| Defragment disk space | copy data to new file system fsck (look for 'non-contiguous inodes') copy data to new file system fsck (look for 'non-contiguous inodes') xfs_fsr |
| Create/modify disk partitions | fdisk parted fdisk gdisk parted ssm create |
| Format disk partition | mkfs.filesystem_type (ext4, xfs) mkswap mkfs.filesystem_type (ext4, xfs) mkswap ssm create |
| Mount storage | mount /etc/fstab mount /etc/fstab ssm mount |
| Create physical volume | pvcreate pvcreate ssm create (if backend is lvm) |
| Create volume group | vgcreate vgcreate ssm create (if backend is lvm) |
| Create logical volume | lvcreate lvcreate ssm create (if backend is lvm) |
| Enlarge volumes formatted with default file system | vgextend lvextend resize2fs vgextend lvextend xfs_growfs ssm resize |
| Shrink volumes formatted with default file system | resize2fs lvreduce vgreduce XFS cannot currently be shrunk; copy desired data to a smaller file system. |
| Check/repair file system | fsck fsck ssm check |
| Configure NFS share | /etc/exports service nfs reload /etc/exports systemctl reload nfs.service |
| Mount and activate swap | /etc/fstab swapon -a |
| Configure static mounts | /etc/fstab |
| View free disk space | df |
| View NFS share | showmount -e mount |

File Systems, Volumes, and Disks (Cont.)

| Task | RHEL |
|---------------------------------|--|
| View logical volume info | lvdisplay lvs vgdisplay vgs pvdisplay pvs |
| Configure on-demand auto-mounts | /etc/auto.master.d/*.autofs /etc/auto.* |
| Change file permissions | chmod chown chgrp umask (future file creation) |
| Change file attributes | chattr |
| Change access control list | setfacl |

Kernel, Boot, and Hardware

| Task | RHEL |
|------------------------------------|--|
| Single user/rescue mode | append 1 or s or init=/bin/bash to kernel cmdline append rd.break or init=/bin/bash to kernel cmdline |
| Shut down system | shutdown shutdown systemctl shutdown |
| Power off system | poweroff poweroff systemctl poweroff |
| Halt system | halt halt systemctl halt |
| Reboot system | reboot reboot systemctl reboot |
| Configure default run level/target | /etc/inittab systemctl set-default |
| Configure GRUB bootloader | /etc/default/grub grub2-mkconfig grub-set-default |
| View hardware configured | hwbrowser lshw (in EPEL) |
| Configure kernel module | modprobe |
| Configure hardware device | udev |
| View kernel parameters | sysctl -a cat /proc/cmdline |
| Load kernel module | modprobe |
| Remove kernel module | modprobe -r |
| View kernel version | rpm -q kernel uname -r |