



IPMIView for iOS

User's Guide

Revision 1.0

The information in this USER'S MANUAL has been carefully reviewed and is believed to be accurate. The vendor assumes no responsibility for any inaccuracies that may be contained in this document, makes no commitment to update or to keep current the information in this manual, or to notify any person organization of the updates. Please Note: For the most up-to-date version of this manual, please see our web site at www.supermicro.com.

Super Micro Computer, Inc. ("Supermicro") reserves the right to make changes to the product described in this manual at any time and without notice. This product, including software, if any, and documentation may not, in whole or in part, be copied, photocopied, reproduced, translated or reduced to any medium or machine without prior written consent.

IN NO EVENT WILL SUPERMICRO BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, SPECULATIVE OR CONSEQUENTIAL DAMAGES ARISING FROM THE USE OR INABILITY TO USE THIS PRODUCT OR DOCUMENTATION, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. IN PARTICULAR, SUPERMICRO SHALL NOT HAVE LIABILITY FOR ANY HARDWARE, SOFTWARE, OR DATA STORED OR USED WITH THE PRODUCT, INCLUDING THE COSTS OF REPAIRING, REPLACING, INTEGRATING, INSTALLING OR RECOVERING SUCH HARDWARE, SOFTWARE, OR DATA.

Any disputes arising between manufacturer and customer shall be governed by the laws of Santa Clara County in the State of California, USA. The State of California, County of Santa Clara shall be the exclusive venue for the resolution of any such disputes. Super Micro's total liability for all claims will not exceed the price paid for the hardware product.

FCC Statement: This equipment has been tested and found to comply with the limits for a Class A digital device pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the manufacturer's instruction manual, may cause harmful interference with radio communications. Operation of this equipment in a residential area is likely to cause harmful interference, in which case you will be required to correct the interference at your own expense.

California Best Management Practices Regulations for Perchlorate Materials: This Perchlorate warning applies only to products containing CR (Manganese Dioxide) Lithium coin cells. Perchlorate Material-special handling may apply. See <http://www.dtsc.ca.gov/hazardouswaste/perchlorate/> for further details.

Manual Revision 1.0

Release Date: Jun 2, 2015

Unless you request and receive written permission from Super Micro Computer, Inc., you may not copy any part of this document.

Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.

Copyright © 2015 by Super Micro Computer, Inc.

All rights reserved.

Printed in the United States of America

Contents

1	Overview	6
2	Installation	7
2.1	Requirements.....	7
2.2	Limitations	7
2.3	Installation	7
3	Grouping BMCs	8
3.1	Basic Setup.....	8
3.2	Creating a Group.....	8
3.3	Searching for BMCs.....	9
3.4	Group Overview	10
3.5	Diagnosing a Group.....	10
3.6	Manually Sorting the List	13
3.7	Changing Names of IP Addresses.....	13
3.8	Adding a BMC to Another Group	13
3.9	Deleting a BMC from a Group.....	13
3.10	Filtering for Specific BMCs	13
3.11	Group Settings	13
4	Managing a BMC.....	14
4.1	IPM Device	15
4.2	LAN Setting.....	16
4.3	FRU	16
4.4	Sensors.....	17
4.5	Event Log.....	17
4.6	Power Supply	18
4.7	User	19
4.8	Raw Command.....	19
4.9	Preference.....	20
4.10	KVM.....	21
5	Using the KVM Keyboard	22
5.1	Overview of Virtual Keyboard.....	22

6	Open Source Used in IPMIView for iOS	23
6.1	OpenSSL	23
6.2	GDataXML	27
6.3	PLCrashReporter	34
	Contacting Supermicro	36

1 Overview

IPMIView (IPMI-Over-LAN) is a management software program based on IPMI specification revision 1.5 - 2.0. IPMIView sends IPMI messages to and from the BMC (Baseboard Management Controller) on a host system at a remote location. IPMI messages are encapsulated in RMCP (Remote Management Control Protocol) packets called “datagrams”. This method is also referred to as “IPMI-over-LAN”.

According to the Distributed Management Task Force (DMTF) specification, RMCP is used for system management in a pre-OS or an OS-absent environment. RMCP is a simple request-response protocol that can be delivered using UDP (User Datagram Protocol) datagrams. IPMI-over-LAN uses version 1 of the RMCP protocol and packet format. An RMCP packet is transmitted via an IP (Internet Protocol) network, which allows system managers to manage their IPMI-enabled systems over the Internet. In a private LAN network, this is a basic feature. IPMI uses the same UDP port number (623 in decimal) as the ASF (Alert Standard Forum) protocol. If the managed system is protected by a firewall, UDP port 623 must be opened.

Now the iOS app of this program has been developed to expand its use. With IPMIView for iOS and a wireless connection, users can manage BMCs via their mobile devices with ease.

In addition, this app also provides you with a console to remotely and directly monitor and control your Supermicro servers.

2 Installation

2.1 Requirements

Make sure your device meets these requirements before installation.

- iOS version 6.0 or higher

2.2 Limitations

KVM only supports BMCs with an ATEN solution.

2.3 Installation



To install IPMIView on your mobile device, follow these steps:


1. Search for “IPMIView” in the Apple App store.
2. Download and install the “IPMIView” application on your iOS mobile device.

3 Grouping BMCs

3.1 Basic Setup





Before use, enter the username and password set up in your IPMIView at the control site.

1. Tap the IPMIView app icon  on the screen page.
2. Select the Settings icon  on the bottom. This screen page appears.







3. Tap Default Username and enter the username.
4. Tap Default Password and enter the password.


3.2 Creating a Group

1. Select the Group icon  on the bottom and tap the menu button on the device or the icon .
2. Tap the icon  to add the Group, and then enter a name for this group.
3. Tap the option  in the upper right to save the change.

3.3 Searching for BMCs

To search for BMCs, follow these steps:


1. Select the Group icon  on the bottom, enter the desired IP range in the field and then tap the icon .

2. Select the desired BMCs to be collected in the same group, tap the  button, and select Move to other Group or select New Group.



3. Assign the selected BMCs to the desired group.



3.4 Group Overview

Tap the desired group for an overview of the BMCs in the group.




3.5 Diagnosing a Group

To view the status of each BMC in the group, follow these steps:


1. Tap the  tab, select the desired group, and then tap the icon .

2. A diagnostic report is generated.



The report includes the following information: Summary, Fans, Temperatures, Voltages, Sensors, Event Log and ACPI.

3. Click on each item to enter the desired BMC function view.



Invalid SIM

18:07

100%

Back

Test

Voltage - 07/28 18:07:06 Updated (126 Reports)

10.133.176.25

12V

12.95 Volts

11.94 Volts

10.133.176.25

5VCC

4.48 Volts

5.00 Volts

10.133.176.25

3.3VCC

2.96 Volts

3.28 Volts

10.133.176.25

VBAT

2.58 Volts

2.97 Volts

10.133.176.25

Vcpu1

1.40 Volts

1.80 Volts

10.133.176.25

VDIMMAB

1.05 Volts

1.19 Volts

10.133.176.25

VDIMMCD

1.05 Volts

1.19 Volts

10.133.176.25

5VSB

4.48 Volts

4.97 Volts

10.133.176.25

3.3VSB

2.96 Volts

3.30 Volts

10.133.176.25

1.5V PCH

1.40 Volts

1.52 Volts

10.133.176.25

Invalid SIM

18:07

100%

Back

Test

Sensor - 07/28 18:07:06 Updated (10 Reports)

10.133.176.25

Chassis Intru

[00 C0 00 00]

10.133.176.25

Chassis Intru

[00 C0 00 00]

10.133.176.50

Chassis Intru

[00 C0 00 00]

10.133.176.84

Chassis Intru

[00 C0 00 00]

10.133.176.88

Chassis Intru

[01 C0 01 00]

10.133.176.109

Chassis Intru

[00 C0 00 00]

10.133.176.146

Chassis Intru

[00 C0 00 00]

10.133.176.156

Intrusion

[00 C0 00 00]

10.133.176.156

PS Status

[00 C0 00 00]

10.133.176.208

Chassis Intru

[00 C0 00 00]

Invalid SIM

18:07

100%

Back

Test

Event Log - 07/28 18:07:06 Updated (326 Reports)

10.133.176.208

3 Session Audit

Asserted

10.133.176.208

Invalid Username or Password

2014/07/22 01:03:29

10.133.176.208

2 Session Audit

Asserted

10.133.176.208

Invalid Username or Password

2014/07/22 01:03:29

10.133.176.208

1 Session Audit

Asserted

10.133.176.208

Invalid Username or Password

2014/07/22 01:03:29

10.133.176.173

3 Session Audit

Asserted

10.133.176.173

Invalid Username or Password

Pre-Init 09:01:54

10.133.176.173

2 Session Audit

Asserted

10.133.176.173

Invalid Username or Password

Pre-Init 09:01:54

10.133.176.173

1 Session Audit

Asserted

10.133.176.173

Invalid Username or Password

Pre-Init 09:01:54

10.133.176.156

37 Fan

Lower Non-recoverable - going low

10.133.176.156

Reading = 0 RPM, Threshold = 405 RPM

2014/06/18 11:31:21

10.133.176.156

36 Fan

Lower Critical - going low

10.133.176.156

Reading = 0 RPM, Threshold = 540 RPM

2014/06/18 11:31:21

Invalid SIM

18:07

100%

Back

Test

ACPI - 07/28 18:07:06 Updated (19 Reports)

10.133.176.25

S0/G0

10.133.176.42

S0/G0

10.133.176.25

S0/G0

10.133.176.42

S0/G0

10.133.176.47

S5

10.133.176.50

S0/G0

10.133.176.63

S5

10.133.176.77

S5

10.133.176.84

S0/G0




10.133.176.88

S0/G0

10.133.176.96

3.6 Manually Sorting the List

To sort the BMCs on the group list, follow these steps:

1. Tap the menu button on the device or the icon  in the navigation bar.
2. Select the desired BMC to be moved around, and then drag and drop the icon  next to it.
3. Tap the option  in the upper right to save the change.




3.7 Changing Names of IP Addresses

To modify the name or IP address of a BMC, long press the desired BMC on the screen and enter the new information.

3.8 Adding a BMC to Another Group

To add a BMC to one or more groups, tap the check box on the device, and then select .

3.9 Deleting a BMC from a Group

To delete a BMC from a group, tap the menu button on the device or the icon  in the navigation bar, tap the remove icon  and press delete button .

3.10 Filtering for Specific BMCs

To locate specific BMCs, tap the search bar  and then enter the keywords in the filter device field.

3.11 Group Settings

Set group username and password by tapping the icon .

4 Managing a BMC

To view the details of a BMC, tap the desired group then tap the IP address of the desired BMC. The page screen below appears.




Scroll down to find more about the types of BMC functions listed. Tap any desired function to further manage the BMCs.

- IPM Device
- LAN Setting
- FRU
- User
- Sensors
- Event Log
- Power Supply
- Raw Command
- Preference
- KVM

4.1 IPM Device


This option is used to display the information and functionality of the BMC firmware installed in the system.



- **Reset:** Resets the server.
- **Power up:** Turns on the server.
- **Power Down:** Turns off the server.
- **Graceful Shutdown:** Shuts down the server with software.
- **BMC Reset:** Resets the BMC.
- **Fan Control:** Sets the fan speed on the server.
- **Blinking on/off:** Sets the server blinking on/off.
- **Clear:** Clears the chassis intrusion record.
- **Web View:** Opens a browser view of BMC management.


4.2 LAN Setting

This option displays the network settings.




4.3 FRU

This option provides information on FRUs, including the serial number, part number, and the components of the motherboard.



4.4 Sensors

This option displays the status of each sensor used to monitor system health.




The screenshot shows the 'Sensors' app interface. At the top, it displays 'Invalid SIM', '11:55', and '100%' battery. Below the status bar, there's a close button, the IP address '10.133.176.50', and a refresh button. The app title 'Sensors' is followed by '07/29 11:55:54 Updated'. The section is titled 'TEMPERATURE'. It lists several sensors with their current and target temperatures:

Sensor	Current Temp	Target Temp
CPU Temp	29 °C	95 °C
System Temp	29 °C	80 °C
Peripheral Temp	44 °C	80 °C
PCH Temp	42 °C	90 °C
VRM Temp	30 °C	87 °C
DIMMA1 Temp	27 °C	80 °C
DIMMA2 Temp	N/A	N/A
DIMMB1 Temp	N/A	N/A
DIMMB2 Temp	N/A	N/A

4.5 Event Log

This function allows you to access the system event log.




The screenshot shows the 'Event Log' app interface. At the top, it displays 'Invalid SIM', '11:56', and '100%' battery. Below the status bar, there's a close button, the IP address '10.133.176.50', and a refresh button. The app title 'Event Log' is followed by '07/29 11:56:01 Updated'. The log contains several entries, mostly 'Upper Non-recoverable - going high' alerts for CPU Temp, which are 'Deasserted'. It also shows 'OS Boot' and 'OS Graceful Shutdown' events. At the bottom, it shows 'Total Entries: 247', 'Free Space: 5300 bytes', and 'Recent Entry Added: 2014/07/29 08:42:16'. There is a 'Clear' button.

Event ID	Event Description	Component	Status	Timestamp
247	Platform Alert	CPU Temp	Deasserted	2014/07/29 08:42:16
246	Platform Alert	CPU Temp	Deasserted	2014/07/29 08:42:11
245	Platform Alert	CPU Temp	Deasserted	2014/07/29 08:42:06
244	Platform Alert	CPU Temp	Deasserted	2014/07/29 08:41:05
243	Platform Alert	CPU Temp	Deasserted	2014/07/29 08:40:59
242	Platform Alert	CPU Temp	Deasserted	2014/07/29 08:40:54
241	OS Boot		Asserted	2014/07/28 17:20:21
240	OS Stop Shutdown		Asserted	2014/07/28 17:19:11

4.6 Power Supply


This option is used to display the power supply information in the system.



- **PMBus:** Displays the PMBus information of the power supply.
- **FRU:** Displays the FRU information of the power supply.
- **BBP** (Battery Backup Power): Select **Set the battery discharge setting** to configure how a battery is discharged or **View the current battery status** for information on the battery in use.

4.7 User


This option is used to access or edit the user information.



- To add or modify the user information, tap the desired item.
- To clear the user information, long press the desired item.
- Note that the user “ADMIN” cannot be deleted.


4.8 Raw Command


This option allows for the execution of raw IPMI commands.



4.9 Preference


This option allows the user to specify the login ID and password of the desired BMC.



If any information has been modified, tap the menu button on the device or the icon  in the navigation bar to update.

4.10 KVM

This option allows the user to perform console redirection via KVM (Keyboard/Video/Mouse) support.




To control the cursor, use these multi-touch gestures:


- Moving the mouse: Drag the screen and move.
- Double-clicking the left mouse button: Double-tap the screen.
- Clicking the left mouse button: Tap the screen once.
- Clicking the right mouse button: Long press the screen.
- Using the mouse wheel: Use two fingers to scroll up or down.
- Using the mouse to draw a selection rectangle or drag a window: Double-tap the screen or the desired window and drag.


For details on the use of virtual keyboard, see *5. Using the KVM Keyboard*.

5 Using the KVM Keyboard

A virtual keyboard on the screen is provided when you access the KVM console. To call up the virtual keyboard, tap the icon  on the menu bar.

5.1 Overview of Virtual Keyboard



- The options [Esc], [Tab], [Ctrl], [Alt] and [Win] above on the virtual keyboard act as combination keys.
- The key  is used to switch between caps and symbol keypads.
- Tap the key [123], [Fn] and [ABC] to switch between different keyboards for input options.

6 Open Source Used in IPMIView for iOS

This document contains licenses and notices for open source software used in this product.

6.1 OpenSSL

- Notifications:

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)

This product includes cryptographic software written by Eric Young (ey@cryptsoft.com).

This product includes software written by Tim Hudson (tjh@cryptsoft.com).

- Available under license:

LICENSE ISSUES

=====

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit.

See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

OpenSSL License

/* =====

* Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

-
- *
 - * 1. Redistributions of source code must retain the above copyright
 - * notice, this list of conditions and the following disclaimer.
 - *
 - * 2. Redistributions in binary form must reproduce the above copyright
 - * notice, this list of conditions and the following disclaimer in
 - * the documentation and/or other materials provided with the
 - * distribution.
 - *
 - * 3. All advertising materials mentioning features or use of this
 - * software must display the following acknowledgment:
 - * "This product includes software developed by the OpenSSL Project
 - * for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"
 - *
 - * 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
 - * endorse or promote products derived from this software without
 - * prior written permission. For written permission, please contact
 - * openssl-core@openssl.org.
 - *
 - * 5. Products derived from this software may not be called "OpenSSL"
 - * nor may "OpenSSL" appear in their names without prior written
 - * permission of the OpenSSL Project.
 - *
 - * 6. Redistributions of any form whatsoever must retain the following
 - * acknowledgment:
 - * "This product includes software developed by the OpenSSL Project
 - * for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"
 - * THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
 - * EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 - * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

Original SSLeay License

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
* All rights reserved.
*
* This package is an SSL implementation written
* by Eric Young (eay@cryptsoft.com).
* The implementation was written so as to conform with Netscapes SSL.
*
* This library is free for commercial and non-commercial use as long as
* the following conditions are aheared to. The following conditions
* apply to all code found in this distribution, be it the RC4, RSA,
* lhash, DES, etc., code; not just the SSL code. The SSL documentation

-
- * included with this distribution is covered by the same copyright terms
 - * except that the holder is Tim Hudson (tjh@cryptsoft.com).
 - *
 - * Copyright remains Eric Young's, and as such any Copyright notices in
 - * the code are not to be removed.
 - * If this package is used in a product, Eric Young should be given attribution
 - * as the author of the parts of the library used.
 - * This can be in the form of a textual message at program startup or
 - * in documentation (online or textual) provided with the package.
 - *
 - * Redistribution and use in source and binary forms, with or without
 - * modification, are permitted provided that the following conditions
 - * are met:
 - * 1. Redistributions of source code must retain the copyright
 - * notice, this list of conditions and the following disclaimer.
 - * 2. Redistributions in binary form must reproduce the above copyright
 - * notice, this list of conditions and the following disclaimer in the
 - * documentation and/or other materials provided with the distribution.
 - * 3. All advertising materials mentioning features or use of this software
 - * must display the following acknowledgement:
 - * "This product includes cryptographic software written by
 - * Eric Young (eay@cryptsoft.com)"
 - * The word 'cryptographic' can be left out if the routines from the library
 - * being used are not cryptographic related :-).
 - * 4. If you include any Windows specific code (or a derivative thereof) from
 - * the apps directory (application code) you must include an acknowledgement:
 - * "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
 - *
 - * THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
 - * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 - * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/

6.2 GDataXML

- Available under license:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

-
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

6.3 PLCrashReporter

- Available under license:

Except as noted below, PLCrashReporter is provided under the following license:

Copyright (c) 2008 - 2015 Plausible Labs Cooperative, Inc.
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Additional contributions have been made under the same license terms as above, with copyright held by their respective authors:

Damian Morris <damian@moso.com.au>

Copyright (c) 2010 MOSO Corporation, Pty Ltd.

All rights reserved.

HockeyApp/Bitstadium

Copyright (c) 2012 HockeyApp, Bit Stadium GmbH.

All rights reserved.

The protobuf-c library, as well as the PLCrashLogWriterEncoding.c file are licensed as follows:

Copyright 2008, Dave Benson.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0> Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Contacting Supermicro

Headquarters

Address: Super Micro Computer, Inc.
980 Rock Ave.
San Jose, CA 95131 U.S.A.
Tel: +1 (408) 503-8000
Fax: +1 (408) 503-8008
Email: marketing@supermicro.com (General Information)
support@supermicro.com (Technical Support)
Web Site: www.supermicro.com

Europe

Address: Super Micro Computer B.V.
Het Sterrenbeeld 28, 5215 ML
's-Hertogenbosch, The Netherlands
Tel: +31 (0) 73-6400390
Fax: +31 (0) 73-6416525
Web Site: www.supermicro.nl
Email: sales@supermicro.nl (General Information)
support@supermicro.nl (Technical Support)
rma@supermicro.nl (Customer Support)

Asia-Pacific

Address: Super Micro Computer, Inc.
3F, No. 150, Jian 1st Rd.
Zhonghe Dist., New Taipei City 235
Taiwan (R.O.C)
Tel: +886-(2) 8226-3990
Fax: +886-(2) 8226-3992
Web Site: www.supermicro.com.tw
Technical Support:
Email: support@supermicro.com.tw